

Bethel's Global Reach

GOING | DOING

www.bethelsglobalreach.org

Honduras Mission Trip, October 20-27 2019

Marcus D. Holman | mholman@bethelsglobalreach.org

Mission: Evangelism, VBS, Children's Orphanage

Evangelism: includes witnessing the Gospel of Jesus Christ thru door to door, and outreach crusades

VBS: Interactive bible lessons, Local Outreach to children and parents

Expected Impact: 2000-3000 people including men, women and children.

Dates: October 20-27, 2019

Where: Roatan, Honduras

Rest and Relaxation: Roatan

Passport Required

All Missionaries MUST complete Missionary Application:

**NEW MISSIONARIES MUST GO TO
WWW.BTHELSGLOBALREACH.ORG/GOAPPLICATIONS and fill out
REQUIRED INFORMATION**

Cost: **1850.00**

250.00 deposit Due upon registration 125.00 NR

1st payment due: **250.00** May 7, 2019

2nd payment due: **750.00** June 4, 2019

3rd payment due: **500.00** August 6, 2019

4th payment due: **350.00** August 27, 2019

Payments can be made thru www.bethelsglobalreach.org/donation/africa

Pastor Holman 832-473-1052 mholman@bethelsglobalreach.org

Darrelon Prince 832-545-0466 dprince@bethelsglobalreach.org

Meeting Dates:

May 7, 2019 @ 6:30 pm | Interest Meeting and Registration

June 4, 2019 @ 6:30 pm | Missions trainings and logistics

August 6, 2019 @ 6:30 pm | Missions development and training

August 27, 2019 @ 6:30 pm | Cultural Sensitivity Training

October 9, 2019 @ 6:30 pm | sorting and packing

Commissioning Service October 17, 2019 | Commissioning Service @ 7:00
TCABF

All inclusive package includes:

Airline tickets | Hotel | Food | Transportation | Missions Shirt

Does not includes: souvenirs

Additional dining

Currency: Honduran lempira





Purpose of Mission:

Humanitarian | Educational | Evangelism

Honduras is one of the poorest and least developed countries in Latin America with nearly two-thirds of Hondurans living in poverty. Roughly 50 percent of the population is also 15 years of age or younger. But the Lord has opened ministry doors for children and youth, church, community development, education, and medical outreach. Discover how you can get involved and make a difference in Honduras!

BEFORE YOU TRAVEL: Check the vaccines and medicines list and visit your doctor (ideally, 4-6 weeks) before your trip to get vaccines or medicines you may need.

Routine vaccines: Make sure you are up-to-date on routine vaccines before every trip. These vaccines include measles-mumps-rubella (MMR) vaccine, diphtheria-tetanus-pertussis vaccine, varicella (chickenpox) vaccine, polio vaccine, and your yearly flu shot.

Hepatitis A: CDC recommends this vaccine because you can get hepatitis A through contaminated food or water in Kenya, regardless of where you are eating or staying.

Polio: Health recommendation: You may need a polio vaccine before your trip to Kenya.

If you were vaccinated against polio as a child but have never had a polio booster dose as an adult, you should get this booster dose. Adults need only one polio booster in their lives (unless you are fulfilling the country requirement listed below).

If you were not completely vaccinated as a child or do not know your vaccination status, talk to your doctor about getting vaccinated.

Country exit requirement: If you plan to be in Kenya for more than 4 weeks, the government of Kenya may require you to show proof of polio vaccination when you are exiting the country. To meet this requirement, you should receive a polio vaccine between 4 weeks and 12 months before the date you are leaving Kenya. Talk to your doctor about whether this requirement applies to you.

Typhoid: You can get typhoid through contaminated food or water in Kenya. CDC recommends this vaccine for most travelers, especially if you are staying with friends or relatives, visiting smaller cities or rural areas, or if you are an adventurous eater.

Hepatitis B: You can get hepatitis B through sexual contact, contaminated needles, and blood products, so CDC recommends this vaccine if you might have sex with a new partner, get a tattoo or piercing, or have any medical procedures.

Malaria: Talk to your doctor about how to prevent malaria while traveling. You may need to take prescription medicine before, during, and after your trip to prevent malaria, especially if you are visiting low-altitude areas.

Meningitis: Kenya is part of the “meningitis belt” of sub-Saharan Africa ([see map](#)). CDC recommends this vaccine if you plan to visit Kenya during the dry season (December–June), when the disease is most common.

Rabies: Rabies can be found in dogs, bats, and other mammals in Kenya, so CDC recommends this vaccine for the following groups:

Travelers involved in outdoor and other activities (such as camping, hiking, biking, adventure travel, and caving) that put them at risk for animal bites.

People who will be working with or around animals (such as veterinarians, wildlife professionals, and researchers).

People who are taking long trips or moving to Kenya

Children, because they tend to play with animals, might not report bites, and are more likely to have animal bites on their head and neck.